


SCALE 4:1

PIN ONE REFERENCE



0.10 C

6X 0.08 C



NOTES:


1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
2. CONTROLLING DIMENSION: MILLIMETERS.
3. DIMENSION b APPLIES TO PLATED TERMINAL AND IS MEASURED BETWEEN 0.15 AND 0.25MM FROM THE TERMINAL TIP. DATE 10 APR 2013

DIM	MILLIMETERS	
	MIN	MAX
A	0.45	0.55
A1	0.00	0.05
A3	0.127 REF	
b	0.25	0.35
D	2.00 BSC	
D2	1.50	1.70
E	2.00 BSC	
E2	0.80	1.00
e	0.65 BSC	
L	0.25	0.35
L1	---	0.15


DE3jIAIL53jIAIL53jTJ 6-00065 P 0-1 0 0 1 459 439 207.099 cm 0 0 m .85 -1.474 l -4.  
**GENERIC MARKING DIAGRAM**



- XX = Specific Device Code
- M = Date Code
- = Pb i



BOTTOM VIEW



DETAIL A  
 ALTERNATE TERMINAL  
 CONSTRUCTIONS

\*This information is generic. Please refer to device data sheet for actual part marking.  
 Pb iFree indicator, "G" or microdot " ", may or may not be present.